

AdBlue data sheet, January 2019

GreenChem AdBlue® is fully compliant the requirements of ISO 22241

Characteristics	Unit	Limits
Urea content	% by weight	31,8 – 33,2
pH-value (10% HS-solution)	none	10 max.
Density at 20°C	g/cm ³	1,087 – 1,093
Refractive index at 20°C	none	1,3814 – 1,3843
Alkalinity as NH ₃	% by weight	0,2 max.
Biuret	% by weight	0,3 max.
Aldehydes	mg/kg	5 max.
Insoluble matter	mg/kg	20 max.
Phosphate (PO ₄)	mg/kg	0,5 max.
Calcium	mg/kg	0,5 max.
Iron	mg/kg	0,5 max.
Copper	mg/kg	0,2 max.
Zinc	mg/kg	0,2 max.
Chromium	mg/kg	0,2 max.
Nickel	mg/kg	0,2 max.
Aluminium	mg/kg	0,5 max.
Magnesium	mg/kg	0,5 max.
Sodium	mg/kg	0,5 max.
Potassium	mg/kg	0,5 max.

Typical characteristics

Classified as non-hazardous for supply or transport.

Appearance

Physical state: liquid
 Colour: colourless/ white
 Odour: ammonia (slight)

Freezing point

-11°C (12,2°F), prevent freezing

Boiling point

100°C (212,2°F)

The product is stable under normal storage and handling conditions.

NSL Oil B.V. reserves the right to change the technical data without further notice.

AdBlue® is a registered trademark of the Verband der Automobilindustrie e.V. (VDA)